

L Number	Hits	Search Text	DB	Time stamp
3	14	("0681163"   "1552994"   "1978853"   "2824322"   "2897525"   "3814525"   "4222142"   "4674218"   "4690824"   "4858360"   "4930240"   "5056946"   "5743040"   "5775020").PN.	USPAT	2004/08/06 13:06
4	6	1552994.URPN.	USPAT	2004/08/06 13:07
5	576	(taper\$3 near thread\$3) same (flut\$3 groov\$3)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/08/06 13:18
-	236	128/206.19.ccls.	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/08/04 12:18
-	3	("3308816").PN.	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/08/02 14:28
-	5	3308816.URPN.	USPAT	2004/08/02 14:27
-	141	stylet near solid	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/08/02 14:35
-	7300	rod near solid	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/08/02 14:30
-	0	(rod near solid) same (taper\$2 near connector)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/08/02 14:31
-	187	(rod near solid) same connector	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/08/02 14:31
-	4	("0814318"   "1816359"   "3074155"   "3621555").PN.	USPAT	2004/08/02 14:34
-	6	4171565.URPN.	USPAT	2004/08/02 14:34

BEST AVAILABLE COPY

-	828	stylet same connector	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/08/02 14:36
-	813	(stylet same connector) not (stylet near solid)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/08/02 17:08
-	17	128/\$.ccls. and sheridan.in.	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/08/02 17:45
-	2979	drill same tap	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/08/02 17:46
-	1292	drill near tap	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/08/02 17:46
-	40	(drill adj tap) same taper\$2	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/08/02 17:46
-	1041	drill adj tap	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/08/02 17:52
-	1001	(drill adj tap) not ((drill adj tap) same taper\$2)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/08/02 17:52
-	12	("D046716"   "D058502"   "D245395"   "0317970"   "0319019"   "1427556"   "2335741"   "2523041"   "3136347"   "3265343"   "3355752"   "4703677").PN.	USPAT	2004/08/02 18:31
-	4	5037251.URPN.	USPAT	2004/08/02 18:33
-	12	("D046716"   "D058502"   "D245395"   "0317970"   "0319019"   "1427556"   "2335741"   "2523041"   "3136347"   "3265343"   "3355752"   "4703677").PN.	USPAT	2004/08/02 18:34

REST AVAILABLE COPY

-	41	tapered adj tap	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/08/03 14:56
-	60	tapered adj bit	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/08/03 14:59
-	2	("3945069").PN.	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/08/04 08:41
-	11	("0224921"   "0425372"   "0832076"   "1111413"   "1293432"   "1345425"   "1365338"   "2029514"   "2330099"   "2787010"   "3661471").PN.	USPAT	2004/08/03 17:15
-	7	1345425.URPN.	USPAT	2004/08/03 17:16
-	16	("0083371"   "0568277"   "0678814"   "0899916"   "1345425"   "1408793"   "1434870"   "1539628"   "1543007"   "1963542"   "2300310"   "3346894"   "4074950"   "4271554"   "5033919"   "5379505").PN.	USPAT	2004/08/03 17:17
-	10	5562371.URPN.	USPAT	2004/08/03 17:19
-	7	3945069.URPN.	USPAT	2004/08/03 17:19
-	18	("0425372"   "1293432"   "1630602"   "2029514"   "2629113"   "3072956"   "3328834"   "3661471"   "3667857"   "3913196"   "3945069"   "4107819"   "4162558"   "4285618"   "D271206"   "4619019"   "D307020"   "D379052").PN.	USPAT	2004/08/03 17:20
-	4	("4863439") or ("5024220").PN.	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/08/04 09:59
-	654	606/80,83.ccls.	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/08/05 18:47
-	4	("5122134"   "5192283"   "5374270"   "5895389").PN.	USPAT	2004/08/04 10:09
-	8	("5190548"   "5562673"   "5573537"   "5607431"   "5667509"   "5908423"   "5941706"   "5951561").PN.	USPAT	2004/08/04 10:11

BEST AVAILABLE COPY

-	26	("0931327"   "2198666"   "D149843"   "2709600"   "2919692"   "3628524"   "4187607"   "4262676"   "4838282"   "4938743"   "4967435"   "4995872"   "5086674"   "5178267"   "5368046"   "D358645"   "5423824"   "5480166"   "5494382"   "5522398"   "5575794"   "5762639"   "5910197"   "5943924"   "D439980"   "D449691").PN.	USPAT	2004/08/04 10:14
-	9	("0569285"   "4625725"   "4706659"   "4751922"   "5122134"   "5342365"   "5376092"   "5755719"   "5759185").PN.	USPAT	2004/08/04 10:20
-	5	("2643443"   "4124026"   "4552136"   "5041118"   "5503506").PN.	USPAT	2004/08/04 10:33
-	9	("0026613"   "0324763"   "0770480"   "3051205"   "3824026"   "4725171"   "4751922"   "4830000"   "5562673").PN.	USPAT	2004/08/04 10:36
-	6	((("4938211") or ("6550479") or ("5086769")).PN.	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/08/04 12:18
-	4	("2747384"   "3367326"   "3554192"   "4541423").PN.	USPAT	2004/08/04 12:47
-	42	4751922.URPN.	USPAT	2004/08/05 18:29
-	8	("4507028"   "4751922"   "5006121"   "5108405"   "5190548"   "5527316"   "5562673"   "5573537").PN.	USPAT	2004/08/05 12:44
-	3163	tap same flexible	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/08/05 15:44
-	20	tap same (flexible near shaft)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/08/05 15:25
-	0	654248.URPN.	USPAT	2004/08/05 15:25
-	59	(flexible near shaft) same taper\$3 same thread\$3	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/08/05 15:32
-	20	("0207932"   "0761235"   "1644919"   "2173527"   "2896629"   "4445509"   "4682981"   "4762130"   "4834724"   "4950232"   "4955859"   "5009643"   "5087252"   "5129910"   "5246441"   "5246445"   "5308354"   "5334211"   "5456685"   "5672158").PN.	USPAT	2004/08/05 15:26

-	17	(flexible near rod) same taper\$3 same thread\$3	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/08/05 15:32
-	0	(semi-rigid near rod) same taper\$3 same thread\$3	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/08/05 15:32
-	0	(semi-rigid near shaft) same taper\$3 same thread\$3	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/08/05 15:32
-	34	(solid near rod) same taper\$3 same thread\$3	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/08/05 15:32
-	11	(solid near shaft) same taper\$3 same thread\$3	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/08/05 15:39
-	25	("0126366"   "2242003"   "2278411"   "2388482"   "2526959"   "2532296"   "2570465"   "3457573"   "3554193"   "4157677"   "4175555"   "4341206"   "4383527"   "4388921"   "4414966"   "4432358"   "4450835"   "4463753"   "4537185"   "4632100"   "4640271"   "4653489"   "4743260"   "4827917"   "4840632").PN.	USPAT	2004/08/05 15:34
-	6	("2382019"   "2489870"   "2494229"   "3915162"   "4059102"   "4175555").PN.	USPAT	2004/08/05 15:36
-	96	4463753.URPN.	USPAT	2004/08/05 15:36
-	4	(solid near tube) same taper\$3 same thread\$3	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/08/05 15:43
-	0	(solid near probe) same taper\$3 same thread\$3	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/08/05 15:43
-	3	(solid near wire) same taper\$3 same thread\$3	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/08/05 15:43

-	144	tap near flexible	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/08/05 15:46
-	249	drill\$3 same tip same taper\$3 same (groove flute)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/08/05 15:54
-	2	("6422239").PN.	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/08/05 16:01
-	10312	taper\$ same thread\$3 same (groov\$3 flut\$3 channel\$3 passageway)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/08/05 16:05
-	3745	(taper\$ same thread\$3 same (groov\$3 flut\$3 channel\$3 passageway)) same (shaft rod wire probe pin bar)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/08/05 16:06
-	117	((taper\$ same thread\$3 same (groov\$3 flut\$3 channel\$3 passageway)) same (shaft rod wire probe pin bar)) same solid	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/08/05 16:08
-	13799	pipe same cleaner	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/08/05 16:09
-	1088	pipe near cleaner	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/08/05 16:20
-	852	411/378,418,392,426.ccls.	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/08/05 16:31
-	422	606/79.ccls.	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/08/05 16:32

-	162	606/\$.cccls. and awl	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/08/05 18:02
-	8	("4507028"   "4751922"   "5006121"   "5108405"   "5190548"   "5527316"   "5562673"   "5573537").PN.	USPAT	2004/08/05 18:04
-	1	4751922.PN.	USPAT	2004/08/05 18:29
-	4	("2747384"   "3367326"   "3554192"   "4541423").PN.	USPAT	2004/08/05 18:29
-	2	("2747384"   "2905178").PN.	USPAT	2004/08/05 18:30
-	46	3554192.URPN.	USPAT	2004/08/05 18:31
-	4	("2747384"   "3367326"   "3554192"   "4541423").PN.	USPAT	2004/08/05 18:32
-	42	4751922.URPN.	USPAT	2004/08/05 18:32
-	22	606/80,83.cccls. and (solid near shaft)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/08/05 18:53
-	118	solid adj stylet	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/08/05 18:53
-	6296	solid adj rod	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/08/05 18:56
-	948	taper\$3 near connector	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/08/05 19:10
-	94	taper\$3 near connect\$3 near thread\$3	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/08/05 19:10
-	86	(taper\$3 near connect\$3 near thread\$3) not (taper\$3 near connector)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/08/06 13:15

**This Page is Inserted by IFW Indexing and Scanning  
Operations and is not part of the Official Record**

**BEST AVAILABLE IMAGES**

Defective images within this document are accurate representations of the original documents submitted by the applicant.

Defects in the images include but are not limited to the items checked:

- ☐ BLACK BORDERS
- ☐ IMAGE CUT OFF AT TOP, BOTTOM OR SIDES
- ☐ FADED TEXT OR DRAWING
- ☐ BLURRED OR ILLEGIBLE TEXT OR DRAWING
- ☐ SKEWED/SLANTED IMAGES
- ☐ COLOR OR BLACK AND WHITE PHOTOGRAPHS
- ☐ GRAY SCALE DOCUMENTS
- ☒ LINES OR MARKS ON ORIGINAL DOCUMENT
- ☐ REFERENCE(S) OR EXHIBIT(S) SUBMITTED ARE POOR QUALITY
- ☐ OTHER: \_\_\_\_\_

**IMAGES ARE BEST AVAILABLE COPY.**

**As rescanning these documents will not correct the image problems checked, please do not report these problems to the IFW Image Problem Mailbox.**